

1. Company identification

Product trade name	IM-18
Manufacturer information	Postmark Incorporated 3197 Duncan Lane, Suite A San Luis Obispo, California United States of America

Local contact information

2. Environmental information

	Depth	Width	Height	Weight
	mm / inch	mm / inch	mm / inch	kg / lbs
IM-18	463 / 18	710 / 28	330 / 13	35 / 77

	Relative Humidity	Ambiant temperature	
	%	°C	°F
Storage *	20% / 80%	-15°C / +60°C	+5°F / +140°C
Operating *	15% / 80%	+10°C / +40°C	+50°F / +104°F

* Relative humidity, non-condensing.

3. Electrical information

Line voltage	230V ± 10%	120V -10%+6%
Line current (full configuration)	1.25 A	2.65 A
Frequency	50 ± 3 Hz	60 ± 3 Hz

4. Power consumption

Line voltage	Run - active
	W
230 V	287
120V	318

Note: The electrical power information provided should not be used to define the electrical support required for this product.

5. Audible noise

Operating conditions	Sound pressure db(A)
Standby	62
Operating - continuous	78

6. Safety Information
Safety and legal Markings

Product safety certification

Standard	Certifying body	File number
EN 292-1	Postmark Incorporated	/
EN 292-2	Postmark Incorporated	/
EN 60204-1	Postmark Incorporated	/

Electromagnetic compatibility

Standard	Certifying body	File number
EN 50 081-1	Postmark Incorporated	/
EN 50 082-1	Postmark Incorporated	/

Environmental legal compliance

Per 01-07-2006 this Product complies with EU Directive 2002/95/EC, Restriction of Hazardous Substances (RoHS), in all EU member states.

DISCLAIMER : This Product Safety Data Sheet (PSDS) is provided without charge to customers of Neopost Technologies. Data is the most current known to Neopost Technologies at the time of preparation of this PSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.

For further safety information, please read carefully the product user guide.