

# Product Safety Data Sheet

LO-3  
Revision  
June 2006

Product trade name                      LO-3

## Company Identification

**Manufacturer information**            Neopost Technologies BV  
De Tijen 3  
9201 BX Drachten  
The Netherlands

**Local contact information**        Neopost Technologies BV  
De Tijen 3  
9201 BX Drachten  
The Netherlands  
Phone: +31 (512) 589 300  
Fax: +31 (512) 589 399

## Environmental information

| Product dimensions    | Depth              | Width               | Height             |
|-----------------------|--------------------|---------------------|--------------------|
|                       | 990 mm (39,0 inch) | 1610 mm (63,4 inch) | 850 mm (33,5 inch) |
| <b>Product weight</b> | 170 Kg (374 lbs)   |                     |                    |

|                                  | Relative Humidity | Ambient Temperature            |
|----------------------------------|-------------------|--------------------------------|
| <b>Environmental Storage *</b>   | 30% rH to 80 % rH | -30°C to 60°C (-22°F to 140°F) |
| <b>Environmental Operating *</b> | 30% rH to 80 % rH | 10°C to 40°C (50°F to 104°F)   |

\* Relative humidity, non-condensing.

## Supplies

| Product name | Neopost part number | Material safety data sheet |
|--------------|---------------------|----------------------------|
| -            | -                   | -                          |

## Electrical information

|                         |   |              |               |
|-------------------------|---|--------------|---------------|
| <b>Line voltage (V)</b> | - | 115V +6/-10% | 230V +10/-10% |
| <b>Line current (A)</b> | - | 6            | 3,5           |
| <b>Frequency (Hz)</b>   | - | 60           | 50            |

## Power consumption

| Line voltage     | Off mode (Wh) | Standby (Wh) | Run mode (Wh) |
|------------------|---------------|--------------|---------------|
| <b>100V-50Hz</b> | -             | -            | -             |
| <b>110V-60Hz</b> | 0             | 45           | 621           |
| <b>230V-50Hz</b> | 0             | 67           | 717           |

*Note: The electrical power information provided should not be used to define the electrical support required for this product. Consult your Neopost representative if you require detailed information.*

# Product Safety Data Sheet

LO-3  
Revision  
June 2006

## Audible noise

| Operating conditions   | Sound pressure [dB(A)] |
|------------------------|------------------------|
| Standby                | -                      |
| Operating - continuous | 62                     |

## Safety Information

Safety and legal Markings:



Product safety certification

| Standard            | Certifying body         | File number |
|---------------------|-------------------------|-------------|
| IEC 60950-1         | UL                      | UL          |
| UL 60950-1First ed. | UL                      | E153801     |
| EN 60950-1          | Neopost Technologies BV | -           |

Electromagnetic compatibility

| Standard            | Certifying body | File number |
|---------------------|-----------------|-------------|
| EN 55022(1998)      | KEMA QUALITY BV | -           |
| EN 61000-3-2 (2000) | KEMA QUALITY BV | -           |
| EN 55024 (1998)     | KEMA QUALITY BV | -           |
| FCC Part 15 Class B | KEMA QUALITY BV | -           |
| -                   | -               | -           |

## Environmental legal compliance

Per 01-07-2005 this product complies with EU Directive 2002/96/EC, Waste of Electrical and Electronic Equipment (WEEE), in all EU member states.

Per 01-07-2006 this product complies with EU Directive 2002/95/EC, Restriction of Hazardous Substances (RoHS), in all EU member states.

*DISCLAIMER : This Product Safety Data Sheet (PSDS) is provided without charge to customers of Neopost Technologies. Data is the most current known to Neopost Technologies at the time of preparation of this PSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.*